資料

<b>単3</b> 主幹	30A 40A、50A 60A	単3中性線欠相係 GBU-3·1HEA GBU-53·1HEC GBU-63·1HEC	<b>誤護付漏電</b> 遊	断器	分岐	安全ブレーカ BC-1HEA(2P1E20A) BC-2HEA(2P2E20A)
回路例	1 Ø 3 W リミッター スペース	漏電 遮断器 ター電線同梱	B [	B B B B	2E B B 2E	2E B 0 B 2E



プラスチック製

分岐回路数 +予備回路数	主幹 (A)	分岐回路			NEWスマートばん(扉なし)		外形寸法(mm)				外形
		2P1E	2P2E	納期 区分	ご注文品番	標準価格(円)	タテ	33	フカサ	盤定格 (A)	外形寸法図
<b>4</b> +2	30		1	0	VALG33042	13,400	320	449	98	30 60	D- 208 2
	40	3		0	VALG34042	17,500					
	50			0	VALG35042	17,500					
	60			0	VALG36042	17,500					
<b>6</b> +2	30	4	2	0	VALG33062	18,000	320	449	98	30	
	40			0	VALG34062	22,500				60	D- 208 2
	50			0	VALG35062	22,500					
	60			0	VALG36062	22,500					
<b>8</b> +2	30		2	0	VALG33082	20,500	320	483	98	30 60	D- 208 3
	40	6		0	VALG34082	24,000					
	50			0	VALG35082	24,000					
	60			0	VALG36082	24,000					
<b>10</b> +2	30		2	0	VALG33102	25,000	320	517	98	30	
	40	- 8		0	VALG34102	30,000				60	D- 209 4
	50			0	VALG35102	30,000					
	60			0	VALG36102	30,000					
<b>12</b> +2	40	10	2	0	VALG34122	33,500	320	551	98	60	D- 209 5
	50			0	VALG35122	33,500					
	60			0	VALG36122	33,500					
<b>14</b> +2	40		4	0	VALG34142	37,000	320	619	98	60	D- 209 6
	50	10		0	VALG35142	37,000					
	60			0	VALG36142	37,000					
<b>16</b> +2	40		4	0	VALG34162	39,500	320	619	98	60	D- 209 6
	50	12		0	VALG35162	39,500					
	60			0	VALG36162	39,500					
<b>18</b> +2	40	14	4	0	VALG34182	42,000	320	687	98	60	D- 210 7
	50			0	VALG35182	42,000					
	60			0	VALG36182	42,000					

<sup>■</sup>上記以外の商品は、別途お問い合わせください。